

Scales & Balances
Básculas & Balanzas
Waagen
Systèmes de Pesage

Bilancia Pesa
Весы
秤 & 天平
はかり



the year of 2011



BENCH/ PLATFORM SCALES



WWW.HIWEIGH.COM

About HIWEIGH

HIWEIGH, a manufacturer and supplier specialized in weighing products, she has devoted herself to the development and improvement of weighing technology and system for more than 10 years, who also take the swiftest result of the weighing process and the highest precision of weighing result as their target for every weighing solution they supply!

With this catalogue, you can find all solutions for bench/platform scales from 28x28cm to 80 x 80cm, with capacity from 3Kg till 600Kg/1000Kg....

Enjoy your weighing!

Address: No.2278,Zhaotai Road, Minhang District, Shanghai
Tel: 0086-21-24281404 Fax: 0086-21-24281385
Email: hiweigh@gmail.com hiweigh@hotmail.com
www.hiweigh.com



HIWEIGH

Symbols

Contact Us

- | | | | |
|---|---------------------------|---|----------------------|
|  | Totalization/Accumulation |  | Wash Down |
|  | 4-20mA Analogue Output |  | Built-In Battery |
|  | Tare Function |  | RS-232 Interface |
|  | A.C/D.C Power Supply |  | GLP/ISO Print Output |
|  | Red LED Display |  | Clock |
|  | Green LED Display |  | Percentage Weigh |
|  | LCD Display |  | Internal Calibration |
|  | Multi-units Exchange |  | External Calibration |
|  | Counting Function |  | Dynamic/Animal Weigh |
|  | Checkweigh Function |  | Backlight |
|  | Below Weighing | | |

Since 1998

CONTENTS

Compact Bench BS/BSS

1

Aluminum Platform BSA

3

Steel Platform BSW

4

S.S Platform BSB

5

Compact S.S BSC

6

ATK AKX

7

Power Logistics

9

Waterproof WBF

11

Waterproof BSH

12

Checkweigher CWA

13

Hybrid Platform MPH

14

OEM Platforms

15

www.hiweigh.com

Email: hiweigh@gmail.com hiweigh@hotmail.com

Fax: 0086-21-24281385

Add: No.2278, Zhaotai Road, Minhang District,
Shanghai 201112, China


BENCH SCALE

BS28

HIWEIGH



Photo



Specifications

- ◆ Capacity: 3Kg/6Kg/15Kg/30Kg
 - ◆ Moulded platform
 - ◆ ABS X2 indicator
- ◆ S.S pan size: 280x280mm
- ◆ OIML approved L6D load cell
 - ◆ Division: 1/3000-1/30000
- ◆ Indicator Resolution: 1/30,000/1/600,000
 - ◆ Display: LCD with backlight
 - ◆ Counting function
 - ◆ Checkweigh function
 - ◆ Animal weighing function
 - ◆ Selectable kg and lb unit
 - ◆ Accumulation memory
- ◆ RS232 serial interface for printer or computer




MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BS280	280x280	L6D	3-30Kg	1/3000-1/30000

HIWEIGH

www.hiweigh.com
 Email: hiweigh@gmail.com hiweigh@hotmail.com
 Fax: 0086-21-24281385
 Add: No.2278, Zhaotai Road, Minhang District, Shanghai 201112, China

Photo



Specifications

- ◆ Capacity: 3Kg/6Kg/15Kg/30Kg
- ◆ Moulded stainless steel platform
 - ◆ Stainless steel X2SS indicator
 - ◆ S.S pan size: 280x280mm
 - ◆ OIML approved L6D load cell
 - ◆ Division: 1/3000-1/30000
- ◆ Indicator Resolution: 1/30,000/1/600,000
 - ◆ Display: LCD with backlight
 - ◆ Counting function
 - ◆ Checkweigh function
 - ◆ Animal weighing function
 - ◆ Selectable kg and lb unit
 - ◆ Accumulation memory
- ◆ RS232 serial interface for printer or computer

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BSS280	280x280	L6D	3-30Kg	1/3000-1/30000



Specifications

- ◆Capacity:30-500Kg;
- ◆OIML approved L6E/L6G load cell;
- ◆Rugged & reliable aluminium molded platform
- ◆Durable stainless steel cover & pole
 - ◆Square s.s pole available
 - ◆Other load cell available
 - ◆Other Indicator available

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BSA340	300x400	L6E	30-150Kg	1/3000-1/15000
BSA450	400x500	L6G	60-300Kg	1/3000-1/15000
BSA460	450x600	L6G	60-500Kg	1/3000-1/15000



Photo



Specifications

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BSW335	350x350	L6E	30-150Kg	1/3000-1/15000
BSW345	350x450	L6E	30-200Kg	1/3000-1/15000
BSW440	400x400	L6E	30-200Kg	1/3000-1/15000
BSW450	400x500	L6E	60-300Kg	1/3000-1/15000
BSW450L	400x500	L6G	60-500Kg	1/3000-1/15000
BSW560	500x600	L6G	60-500Kg	1/3000-1/15000
BSW660	600x600	L6G	60-500Kg	1/3000-1/15000
BSW680	600x800	L6G	100-500Kg	1/3000-1/15000
BSW880	800x800	L6G	100-600Kg	1/3000-1/15000

- ◆Capacity: 30-600Kg, (1000Kg available)
- ◆Rugged & reliable steel tube welded platform

- ◆Powder coating finish
- ◆Durable 304# s.s cover & pole
- ◆With OIML L6E & L6G load cells
 - ◆Other load cell available
 - ◆Other Indicator available
- ◆S.S protecting fence available



Photo



Specifications

- ◆Capacity: 30-600Kg, (1000Kg available)
- ◆Rugged & reliable 304# stainless steel welded platform
- ◆Polishing finish
- ◆Durable 304# s.s cover & pole
- ◆With OIML L6E & L6G load cells
 - ◆Other load cell available
- ◆Other Indicator available
- ◆S.S protecting fence available

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BSB335	350x350mm	L6E	30-150Kg	1/3000-1/15000
BSB440	400x400mm	L6E	30-200Kg	1/3000-1/15000
BSB450	400x500mm	L6E	30-200Kg	1/3000-1/15000
BSB450L	400x500mm	L6G	30-300Kg	1/3000-1/15000
BSB560	500x600mm	L6G	60-300Kg	1/3000-1/15000
BSB660	600x600mm	L6G	60-500Kg	1/3000-1/15000
BSB680	600x800mm	L6G	100-500Kg	1/3000-1/15000
BSB880	800x800mm	L6G	100-600Kg	1/3000-1/15000



Specifications

- ◆Capacity: 15-150Kg
- ◆Rugged stainless steel platform
- ◆304# s.s Cover
- ◆With OIML s.s B6N load cell

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BSC330	300x300mm	L6E C5	15-30Kg	1/30000
BSC340	300x400mm	L6E C5	30-100Kg	1/30000
BSC450	400x500mm	L6E C5	30-150Kg	1/30000



Specifications

- ◆ Capacity: 30-600Kg, (1000Kg available)
- ◆ Rugged & reliable steel tube welded platform
- ◆ Powder coating finish
- ◆ Durable stainless steel cover (checked plate cover for ATK680/681)
- ◆ Protecting fence
- ◆ With back wheels for ATK560/561/ATK680/681
- ◆ ATK**0 with X0 indicator with Rs232 and built-in battery, LED display
- ◆ ATK**1 with X1PC indicator with price computing and counting function LCD display with backlight

MODEL	SIZE(mm)	INDICATOR	CAPACITY (Kg)	DIVISION
ATK450	420x520	X0	30-200Kg	1/3000-1/6000
ATK560	520x620	X0	60-300Kg	1/3000-1/6000
ATK680	600x800	X0	100-600Kg	1/3000-1/6000
ATK451	420x520	X1PC	30-200Kg	1/3000-1/6000
ATK561	520x620	X1PC	60-300Kg	1/3000-1/6000
ATK681	600x800	X1PC	100-600Kg	1/3000-1/6000





Photo



Specifications

- ◆ Capacity: 30-200Kg
- ◆ Rugged & reliable steel tube welded platform
- ◆ Powder coating finish
- ◆ 201 # Stainless Steel cover
- ◆ With quality L1E load cells
- ◆ With Big LED X7E indicator
- ◆ Kg/lb unit exchange
- ◆ RS232 interface optional
- ◆ 400x500mm Platform

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
AKX	400x500mm	L1E	30-200Kg	1/3000-1/6000

Photo



Power Logistics



Specifications

- ◆Capacity: 30-200Kg
- ◆Rugged & reliable steel tube welded platform
- ◆Powder coating finish
- ◆With handle
- ◆With quality load cell
- ◆ABS X2 housing indicator with LCD display
- ◆300x400mm Platform

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
PX	300x400mm	L1E	30-200Kg	1/3000-1/6000



**PowerX
Logistics**

Specifications

- ◆ Capacity: 30-200Kg
- ◆ Rugged & reliable steel tube welded platform
- ◆ Powder coating finish
- ◆ With handle
- ◆ With quality load cell
- ◆ Steel housing X4 indicator with LCD display
- ◆ 300x400mm Platform

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
PXX	300x400mm	L1E	30-200Kg	1/3000-1/6000

Photo



Specifications

- ◆Capacity: 15-100Kg(300x400mm)
60-200Kg (400x500mm)
- ◆Plastic Frame with steel frame inside
Long time using for anti-rust
- ◆Durable stainless steel cover & pole
- ◆Waterproof indicator (not include the batteries cabinet)
- ◆Waterproof platform (load cell with shield)
- ◆suitable for food industry

MODEL	SIZE(mm)	CAPACITY (Kg)	DIVISION
WBF340	300x400mm	30-100Kg	1/3000
WBF450	400x500mm	60-200Kg	1/3000



Photo




Specifications

- ◆ Capacity: 15-150Kg
- ◆ Buffering spring inside
- ◆ Rugged & reliable 304# stainless steel platform
 - ◆ Durable 304# stainless steel cover & pole
 - ◆ With Stainless Steel B6N load cell
- ◆ With IP67 S.S X4W Indicator (LCD or LED display)

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
BSH330	300x300mm	B6N	15/30Kg	1/6000
BSH340	300x400mm	B6N	15/30/60Kg	1/6000
BSH440	400x400mm	B6N	30/60/100Kg	1/6000

HIWEIGH



Photo



Specifications

- ◆ Capacity: 15-150Kg
- ◆ Hi/Lo/Ok Function
- ◆ Selectable kg and lb
- ◆ RS232 serial interface
- ◆ Counting function
- ◆ Completely S.S frame
- ◆ OIML approved L6E load cell
- ◆ with Alarm Light

MODEL	SIZE(mm)	LOAD CELL	CAPACITY (Kg)	DIVISION
CWA335	350x350mm	L6E	15/30/60Kg	1/6000
CWA440	40x40mm	L6E	30-150Kg	1/6000
CWA660	60x60mm	L6G	100-500Kg	1/6000

HIWEIGH

www.hiweigh.com
 Email: hiweigh@gmail.com hiweigh@hotmail.com
 Fax: 0086-21-24281385
 Add: No.2278, Zhaotai Road, Minhang District,
 Shanghai 201112, China

HIWEIGH



Specifications



- ◆ Capacity: 500Kg x 0.2Kg
- ◆ Platform size: 450x600mm, steel stamping platform
- ◆ Quick and easy assembling
- ◆ With built-in load cell converting set
- ◆ Big LED display with M+, Tare, Zero, Units function
- ◆ Kg/Lb unit
- ◆ 4 Quality wheels

MODEL	SIZE(mm)	CAPACITY (Kg)	DIVISION
MPH	450x600mm	500Kg	200g

HIWEIGH

www.hiweigh.com
 Email: hiweigh@gmail.com hiweigh@hotmail.com
 Fax: 0086-21-24281385
 Add: No.2278, Zhaotai Road, Minhang District,
 Shanghai 201112, China

HIWEIGH



HIWEIGH

www.hiweigh.com Email: hiweigh@gmail.com hiweigh@hotmail.com
 Tel: 0086-21-24281404 Fax: 0086-21-24281385
 Add: No. 2278, Zhaotai Road, Minhang District, Shanghai 201112, China

Scales & Balances
Básculas & Balanzas
Waagen
Systèmes de Pesage

Bilancia Pesa
Весы
秤 & 天平
はかり



HIWEIGH®
HIWEIGH

Thanks for reading our catalogue, for more products, please log on to
www.hiweigh.com

www.hiweigh.com hiweigh@gmail.com